

Package: singR (via r-universe)

September 6, 2024

Type Package

Title Simultaneous Non-Gaussian Component Analysis

Version 0.1.2

Date 2024-02-07

Author Liangkang Wang [aut, cre]
(<https://orcid.org/0000-0003-3393-243X>), Irina Gaynanova
[aut] (<https://orcid.org/0000-0002-4116-0268>), Benjamin Risk
[aut] (<https://orcid.org/0000-0003-1090-0777>)

Maintainer Liangkang Wang <liangkang_wang@brown.edu>

Description Implementation of SING algorithm to extract joint and individual non-Gaussian components from two datasets. SING uses an objective function that maximizes the skewness and kurtosis of latent components with a penalty to enhance the similarity between subject scores. Unlike other existing methods, SING does not use PCA for dimension reduction, but rather uses non-Gaussianity, which can improve feature extraction. Benjamin B.Risk, Irina Gaynanova (2021) <[doi:10.1214/21-AOAS1466](https://doi.org/10.1214/21-AOAS1466)>.

License MIT + file LICENSE

Encoding UTF-8

LazyData true

RoxygenNote 7.2.3

LinkingTo Rcpp, RcppArmadillo

Imports MASS (>= 7.3-57), Rcpp (>= 1.0.8.3), clue (>= 0.3-61), gam (>= 1.20.1), ICtest (>= 0.3-5)

Suggests knitr, covr, testthat (>= 3.0.0), rmarkdown

Config/testthat/edition 3

Depends R (>= 2.10)

VignetteBuilder knitr

NeedsCompilation yes

Date/Publication 2024-02-09 00:20:02 UTC

Repository <https://laowang-123.r-universe.dev>

RemoteUrl <https://github.com/cran/singR>

RemoteRef HEAD

RemoteSha 9f8f6034b1ed2952176aee525f46429afe068cc4

Contents

| | |
|-----------------------------|----|
| angleMatchICA | 2 |
| aveM | 3 |
| calculateJB | 4 |
| covwhitener | 4 |
| create.graph.long | 5 |
| curvilinear | 5 |
| curvilinear_c | 6 |
| est.M.ols | 8 |
| exampledata | 8 |
| gen.inits | 9 |
| greedymatch | 9 |
| lngca | 10 |
| matchICA | 13 |
| NG_number | 13 |
| orthogonalize | 14 |
| permmatRank_joint | 14 |
| permTestJointRank | 15 |
| pmse | 15 |
| signchange | 16 |
| singR | 17 |
| standard | 19 |
| theta2W | 20 |
| tiltedgaussian | 20 |
| vec2net | 21 |
| whitener | 21 |
| %^% | 22 |

| | |
|--------------|-----------|
| Index | 23 |
|--------------|-----------|

| | |
|---------------|---------------------------------------|
| angleMatchICA | <i>Match the columns of Mx and My</i> |
|---------------|---------------------------------------|

Description

angleMatchICA match the columns of Mx and My, using the n x p parameterization of the JIN decomposition assumes

Usage

```
angleMatchICA(Mx, My, Sx = NULL, Sy = NULL)
```

Arguments

| | |
|----|---|
| Mx | Subject score for X matrix of n x n.comp |
| My | Subject score for Y matrix of n x n.comp |
| Sx | Variable loadings for X matrix of n.comp x px |
| Sy | Variable loadings for Y matrix of n.comp x py |

Value

a list of matrixes: ## Mx: ## My: ## matchedangles: ## allangles: ## perm: ## omangles:

| | |
|------|---|
| aveM | <i>Average Mj for Mx and My Here subjects are by rows, columns correspond to components</i> |
|------|---|

Description

Average Mj for Mx and My Here subjects are by rows, columns correspond to components

Usage

```
aveM(mjX, mjY)
```

Arguments

| | |
|-----|--------|
| mjX | n x rj |
| mjY | n x rj |

Value

a new Mj

Examples

```
#get simulation data
data(exampladata)
data=exampladata

# To get n.comp value, we can use NG_number function.

# use JB statistic as the measure of nongaussianity to run lngca with df=0
output_JB=singR(dX=exampladata$dX,dY=exampladata$dY,
df=0,rho_extent="small",distribution="JB",individual=TRUE)

est.Mj = aveM(output_JB$est.Mjx,output_JB$est.Mjy)
```

| | |
|-------------|---|
| calculateJB | <i>Calculates the sum of the JB scores across all components, useful for determining rho.</i> |
|-------------|---|

Description

We measure non-Gaussianity using Jarque-Bera (JB) statistic, which is a weighted combination of squared skewness and kurtosis, [JB paper](#). The data has to be standardized and mean 0 and sd to 1.

Usage

```
calculateJB(S = NULL, U = NULL, X = NULL, alpha = 0.8)
```

Arguments

| | |
|-------|--|
| S | the variable loadings $r \times p_x$. |
| U | U matrix for matched columns $r_j \times n$ |
| X | whitened data matrix $n \times p_x$, data = whitenerXA %*% dXcentered |
| alpha | JB weighting of skewness and kurtosis. default = 0.8 |

Value

the sum of JB score across all components.

| | |
|-------------|--|
| covwhitener | <i>Returns square root of the precision matrix for whitening</i> |
|-------------|--|

Description

Returns square root of the precision matrix for whitening

Usage

```
covwhitener(X, n.comp = ncol(X), center.row = FALSE)
```

Arguments

| | |
|------------|--------------------------|
| X | Matrix |
| n.comp | the number of components |
| center.row | whether to center |

Value

square root of the precision matrix for whitening

| | |
|-------------------|--|
| create.graph.long | <i>create graph dataset with netmat and mmp_order a data.frame called with vectorization of reordered netmat by mmp_order.</i> |
|-------------------|--|

Description

create graph dataset with netmat and mmp_order a data.frame called with vectorization of reordered netmat by mmp_order.

Usage

```
create.graph.long(gmatrix, sort_indices = NULL)
```

Arguments

| | |
|--------------|-----------|
| gmatrix | netmat |
| sort_indices | mmp_order |

Value

a data.frame with vectors: ## X1: vector of numerics. ## X2: vector of numerics. ## value: vectorization of reordered netmat by mmp_order.

| | |
|-------------|---|
| curvilinear | <i>Curvilinear algorithm with r0 joint components</i> |
|-------------|---|

Description

The curvilinear algorithm is modified from [Wen and Yin paper](#).

Usage

```
curvilinear(  
  Ux,  
  Uy,  
  xData,  
  yData,  
  invLx,  
  invLy,  
  rho,  
  tau = 0.01,  
  alpha = 0.8,  
  maxiter = 1000,  
  tol = 1e-06,  
  rj  
)
```

Arguments

| | |
|---------|--|
| Ux | Matrix with n.comp x n, initial value of Ux, comes from greedyMatch. |
| Uy | Matrix with n.comp x n, initial value of Uy, comes from greedyMatch. |
| xData | matrix with n x px, $Xw = Lx \%*\% Xc$. |
| yData | matrix with n x py, $Yw = Ly \%*\% Yc$. |
| invLx | Inverse matrix of Lx, matrix n x n. |
| invLy | Inverse matrix of Ly, matrix n x n. |
| rho | the weight parameter of matching relative to non-gaussianity. |
| tau | initial step size, default value is 0.01 |
| alpha | controls weighting of skewness and kurtosis. Default value is 0.8, which corresponds to the Jarque-Bera test statistic with 0.8 weighting on squared skewness and 0.2 on squared kurtosis. |
| maxiter | default value is 1000 |
| tol | the threshold of change in Ux and Uy to stop the curvilinear function |
| rj | the joint rank, comes from greedyMatch. |

Value

a list of matrices:

Ux Optimized Ux with matrix n.comp x n.

Uy Optimized Uy with matrix n.comp x n.

tau step size

iter number of iterations.

error PMSE(Ux,Uxnew)+PMSE(Uy,Uynew)

obj Objective Function value

curvilinear_c

Curvilinear algorithm based on C code with r0 joint components

Description

#' The curvilinear algorithm is modified from [Wen and Yin paper](#).

Usage

```

curvilinear_c(
  Ux,
  Uy,
  xData,
  yData,
  invLx,
  invLy,
  rho,
  tau = 0.01,
  alpha = 0.8,
  maxiter = 1000,
  tol = 1e-06,
  rj
)

```

Arguments

| | |
|---------|--|
| Ux | Matrix with n.comp x n, initial value of Ux, comes from greedyMatch. |
| Uy | Matrix with n.comp x n, initial value of Uy, comes from greedyMatch. |
| xData | matrix with n x px, $Xw = Lx \%*\% Xc$. |
| yData | matrix with n x py, $Yw = Ly \%*\% Yc$. |
| invLx | Inverse matrix of Lx, matrix n x n. |
| invLy | Inverse matrix of Ly, matrix n x n. |
| rho | the weight parameter of matching relative to non-gaussianity. |
| tau | initial step size, default value is 0.01 |
| alpha | controls weighting of skewness and kurtosis. Default value is 0.8, which corresponds to the Jarque-Bera test statistic with 0.8 weighting on squared skewness and 0.2 on squared kurtosis. |
| maxiter | default value is 1000 |
| tol | the threshold of change in Ux and Uy to stop the curvilinear function |
| rj | the joint rank, comes from greedyMatch. |

Value

a list of matrices:

Ux Optimized Ux with matrix n.comp x n.

Uy Optimized Uy with matrix n.comp x n.

tau step size

iter number of iterations.

error $PMSE(Ux, Uxnew) + PMSE(Uy, Uynew)$

obj Objective Function value

 est.M.ols

Estimate mixing matrix from estimates of components

Description

Estimate mixing matrix from estimates of components

Usage

```
est.M.ols(sData, xData, intercept = TRUE)
```

Arguments

| | |
|-----------|----------------|
| sData | S rx x px |
| xData | dX n x px |
| intercept | default = TRUE |

Value

a matrix Mx, dimension n x rx.

exampledata

Data for simulation example 1

Description

Data for simulation example 1

Usage

```
exampledata
```

Format

A data list with 10 subsets:

dX original data matrix for X with n x px, 48x3602

dY original data matrix for Y with n x py, 48x4950

mj true mj matrix, n x rj, 48x2

sIx true S matrix of independent non-Gaussian components in X, ri_x x px, 2x3602

sIy true S matrix of independent non-Gaussian components in Y, ri_y x py, 2x4950

sjx true S matrix of joint non-Gaussian components in X, rj x px, 2x3602

sjy true S matrix of joint non-Gaussian components in Y, rj x py, 2x4950

snr signal to noise ratio

R2x R2 for x data

R2y R2 for y data

| | |
|-----------|--|
| gen.inits | <i>Generate initialization from specific space</i> |
|-----------|--|

Description

Generate initialization from specific space

Usage

```
gen.inits(p, d, runs, orth.method = c("svd", "givens"))
```

Arguments

| | |
|-------------|-------------------------------|
| p | p*p orthodox matrix |
| d | p*d orthodox matrix |
| runs | the number of orthodox matrix |
| orth.method | orthodox method |

Value

a list of initialization of mixing matrices.

Examples

```
gen.inits(2,3,3, 'svd')
```

| | |
|-------------|---------------------|
| greedymatch | <i>Greedy Match</i> |
|-------------|---------------------|

Description

Greedy Match matches a column of M_x and M_y by minimizing chordal distance between vectors, removes the matched columns and then finds the next pair. This equivalent to maximizing absolute correlation for data in which each column has mean equal to zero. Returns permuted columns of M_x and M_y . This function does not do any scaling or sign flipping. For this matching to coincide with angle matching, the columns must have zero mean.

Usage

```
greedymatch( $M_x$ ,  $M_y$ ,  $U_x$ ,  $U_y$ )
```

Arguments

| | |
|----|--|
| Mx | Subject Score for X with $n \times n$.comp.X matrix |
| My | Subject Score for Y with $n \times n$.comp.Y matrix |
| Ux | Matrix with n .comp $\times n$, $Mx = Lx^{-1} \%*\% t Ux$, Lx is the whitener matrix of dX . |
| Uy | Matrix with n .comp $\times n$, $My = Ly^{-1} \%*\% t Uy$, Ly is the whitener matrix of dY . |

Value

a list of matrices:

Mx Columns of original Mx reordered from highest to lowest correlation with matched component in My

My Columns of original My reordered from highest to lowest correlation with matched component in Mx

Ux Permuted rows of original Ux corresponds to MapX

Uy Permuted rows of original Uy corresponds to MapY

correlations a vector of correlations for each pair of columns in permuted Mx and M

mapX the sequence of the columns in original Mx.

mapY the sequence of the columns in original MY.

 Ingca

Decompose the original data through LNGCA method.

Description

Implements the methods of linear non-Gaussian component analysis (LNGCA) and likelihood component analysis (when using a density, e.g., tilted Gaussian) from the [LNGCA paper](#)

Usage

```
Ingca(
  xData,
  n.comp = NULL,
  Ux.list = NULL,
  whiten = c("sqrtprec", "eigenvec", "none"),
  maxit = 1000,
  eps = 1e-06,
  verbose = FALSE,
  restarts.pbyd = 0,
  restarts.dbyd = 0,
  distribution = c("JB", "tiltedgaussian", "logistic"),
  density = FALSE,
```

```

    out.all = FALSE,
    orth.method = c("svd", "givens"),
    df = 0,
    stand = FALSE,
    ...
)

```

Arguments

| | |
|----------------------------|---|
| <code>xData</code> | the original dataset for decomposition, matrix of $n \times p_x$. |
| <code>n.comp</code> | the number of components to be estimated. |
| <code>Ux.list</code> | list of user specified initial values for U_x . If null, will generate random orthogonal matrices. See <code>restarts.pbyd</code> and <code>restarts.dbyd</code> |
| <code>whiten</code> | whitening method. Defaults to "svd" which uses the n left eigenvectors divided by $\sqrt{p_x-1}$ by 'eigenvec'. Optionally uses the square root of the $n \times n$ "precision" matrix by 'sqrtprec'. |
| <code>maxit</code> | max iteration, default = 1000 |
| <code>eps</code> | default = 1e-06 |
| <code>verbose</code> | default = FALSE |
| <code>restarts.pbyd</code> | default = 0. Generates $p \times d$ random orthogonal matrices. Use a large number for large datasets. Note: it is recommended that you run Ingca twice with different seeds and compare the results, which should be similar when a sufficient number of restarts is used. In practice, stability with large datasets and a large number of components can be challenging. |
| <code>restarts.dbyd</code> | default = 0. These are $d \times d$ initial matrices padded with zeros, which results in initializations from the principal subspace. Can speed up convergence but may miss low variance non-Gaussian components. |
| <code>distribution</code> | distribution methods with default to tilted Gaussian. "logistic" is similar to infomax ICA, JB is capable of capture super and sub Gaussian distribution while being faster than tilted Gaussian. (tilted Gaussian tends to be most accurate, but computationally much slower.) |
| <code>density</code> | return the estimated tilted Gaussian density? default = FALSE |
| <code>out.all</code> | default = FALSE |
| <code>orth.method</code> | default = 'svd'. Method to generate random initial matrices. See <code>[gen.inits()]</code> |
| <code>df</code> | default = 0, df of the spline used in fitting the non-parametric density. use <code>df=8</code> or so for tilted gaussian. set <code>df=0</code> for JB and logistic. |
| <code>stand</code> | whether to standardize the data to have row and column means equal to 0 and the row standard deviation equal to 1 (i.e., all variables on same scale). Often used when combined with <code>singR</code> for data integration. |
| <code>...</code> | other arguments to tiltedgaussian estimation |

Value

Function outputs a list including the following:

`U` matrix $r \times n$, part of the expression that $Ax = Ux \times Lx$ and $Ax \times Xc = Sx$, where `Lx` is the whitener matrix.

`loglik` the value of log-likelihood in the Ingca method.

`S` the variable loading matrix $r \times px$, each row is a component, which can be used to measure nongaussianity

`df` egree of freedom.

`distribution` the method used for data decomposition.

`whitener` A symmetric whitening matrix $n \times n$ from `dX`, the same with `whitenerXA = est.sigmaXA %^% -0.5`

`M` `Mx` Mtrix with $n \times rx$.

`nongaussianity` the nongaussianity score for each component saved in `S` matrix.

Examples

```
#get simulation data
data(exampladata)
data=exampladata

# To get n.comp value, we can use NG_number function.

# use JB statistic as the measure of nongaussianity to run lngca with df=0
estX_JB = lngca(xData = data$dX, n.comp = 4,
  whiten = 'sqrtprec', restarts.pbyd = 20, distribution='JB',df=0)

# use the tiltedgaussian distribution to run lngca with df=8. This takes a long time:
estX_tilt = lngca(xData = data$dX, n.comp = 4,
  whiten = 'sqrtprec', restarts.pbyd = 20, distribution='tiltedgaussian',df=8)

# true non-gaussian component of Sx, include individual and joint components
trueSx = rbind(data$sjX,data$siX)

# use pmse to compare the difference of the two methods
pmse(S1 = t(trueSx),S2=t(estX_JB$S),standardize = TRUE)
pmse(S1 = t(trueSx),S2=t(estX_tilt$S),standardize = TRUE)

# the lngca using tiltedgaussian tends to be more accurate
# with smaller pmse value, but takes longer to run.
```

| | |
|----------|------------------|
| matchICA | <i>match ICA</i> |
|----------|------------------|

Description

match ICA

Usage

```
matchICA(S, template, M = NULL)
```

Arguments

| | |
|----------|-------------------------|
| S | loading variable matrix |
| template | template for match |
| M | subject score matrix |

Value

the match result

| | |
|-----------|--|
| NG_number | <i>find the number of non-Gaussian components in the data.</i> |
|-----------|--|

Description

find the number of non-Gaussian components in the data.

Usage

```
NG_number(data, type = "S3")
```

Arguments

| | |
|------|-----------------------------|
| data | original matrix with n x p. |
| type | 'S1', 'S2' or 'S3' |

Value

the number of non-Gaussian components in the data.

Examples

```
library(singR)
data("exampledata")
data=exampledata
NG_number(data$dX)
```

| | |
|---------------|------------------------------------|
| orthogonalize | <i>Orthogonalization of matrix</i> |
|---------------|------------------------------------|

Description

Orthogonalization of matrix

Usage

```
orthogonalize(W)
```

Arguments

| | |
|---|------------------|
| W | arbitrary matrix |
|---|------------------|

Value

orthogonalized matrix

| | |
|-------------------|---|
| permmatRank_joint | <i>Permutation test to get joint components ranks</i> |
|-------------------|---|

Description

Permutation test to get joint components ranks

Usage

```
permmatRank_joint(matchedResults, nperms = 100)
```

Arguments

| | |
|----------------|------------------------------------|
| matchedResults | results generated by angleMatchICA |
| nperms | the number of permutation |

Value

a list of matrixes ## pvalues: pvalues for the matched columns don't have correlation. ## corperm: correlation value for original Mx with each random permutation of My. ## cormatched: the correlation for each pair of matched columns.

permTestJointRank *Permutation test with Greedymatch*

Description

Permutation test with Greedymatch

Usage

```
permTestJointRank(
  MatchedMx,
  MatchedMy,
  nperm = 1000,
  alpha = 0.01,
  multicore = 0
)
```

Arguments

| | |
|-----------|--|
| MatchedMx | matrix with nsubject x n.comp.X, comes from greedymatch |
| MatchedMy | matrix with nsubject2 x n.comp.Y, comes from greedymatch |
| nperm | default value = 1000 |
| alpha | default value = 0.01 |
| multicore | default value = 0 |

Value

a list of matrixes ## rj: joint component rank ## pvalues: pvalue for the components(columns) not matched ## fwer_alpha: quantile of corr permutation with 1- alpha

pmse *Permutation invariant mean squared error*

Description

Permutation invariant mean squared error

Usage

```
pmse(M1 = NULL, M2 = NULL, S1 = NULL, S2 = NULL, standardize = FALSE)
```

Arguments

| | |
|-------------|---------------------------------------|
| M1 | Subject score 1 matrix $r \times n$. |
| M2 | Subject score 2 matrix $r \times n$. |
| S1 | Loading 1 with matrix $p \times r$. |
| S2 | Loading 2 with matrix $p \times r$. |
| standardize | whether to standardize |

Value

permutation invariant mean squared error

Examples

```
#get simulation data
data(exampladata)

# use JB stat to compute with singR
output_JB=singR(dX=exampladata$dX,dY=exampladata$dY,
df=0,rho_extent="small",distribution="JB",individual=TRUE)

# use pmse to measure difference from the truth
pmse(M1 = t(output_JB$est.Mj),M2 = t(exampladata$mj),standardize = TRUE)
```

signchange

Sign change for S matrix to image

Description

Sign change for S matrix to image

Usage

```
signchange(S, M = NULL)
```

Arguments

| | |
|---|-------------------|
| S | $S, r \times px.$ |
| M | $Mx, n \times r.$ |

Value

a list of positive S and positive Mx.

singR

*Simultaneous Non-Gaussian Component analysis for data integration.***Description**

This function combines all steps from the [SING paper](#)

Usage

```

singR(
  dX,
  dY,
  n.comp.X = NULL,
  n.comp.Y = NULL,
  df = 0,
  rho_extent = c("small", "medium", "large"),
  Cplus = TRUE,
  tol = 1e-10,
  stand = FALSE,
  distribution = "JB",
  maxiter = 1500,
  individual = FALSE,
  whiten = c("sqrtprec", "eigenvec", "none"),
  restarts.dbyd = 0,
  restarts.pbyd = 20
)

```

Arguments

| | |
|------------|--|
| dX | original dataset for decomposition, matrix of n x px. |
| dY | original dataset for decomposition, matrix of n x py. |
| n.comp.X | the number of non-Gaussian components in dataset X. If null, will estimate the number using ICTest::FOBIasymp. |
| n.comp.Y | the number of non-Gaussian components in dataset Y. If null, will estimate the number using ICTest::FOBIasymp. |
| df | default value=0 when use JB, if df>0, estimates a density for the loadings using a tilted Gaussian (non-parametric density estimate). |
| rho_extent | Controls similarity of the scores in the two datasets. Numerical value and three options in character are acceptable. small, medium or large is defined from the JB statistic. Try "small" and see if the loadings are equal, then try others if needed. If numeric input, it will multiply the input by JBall to get the rho. |
| Cplus | whether to use C code (faster) in curvilinear search. |
| tol | difference tolerance in curvilinear search. |
| stand | whether to use standardization, if true, it will make the column and row means to 0 and columns sd to 1. If false, it will only make the row means to 0. |

| | |
|---------------|---|
| distribution | "JB" or "tiltedgaussian"; "JB" is much faster. In SING, this refers to the "density" formed from the vector of loadings. "tiltedgaussian" with large df can potentially model more complicated patterns. |
| maxiter | the max iteration number for the curvilinear search. |
| individual | whether to return the individual non-Gaussian components, default value = F. |
| whiten | whitening method used in lngca. Defaults to "svd" which uses the n left eigenvectors divided by $\sqrt{px-1}$ by 'eigenvec'. Optionally uses the square root of the n x n "precision" matrix by 'sqrtprec'. |
| restarts.dbyd | default = 0. These are d x d initial matrices padded with zeros, which results in initializations from the principal subspace. Can speed up convergence but may miss low variance non-Gaussian components. |
| restarts.pbyd | default = 20. Generates p x d random orthogonal matrices. Use a large number for large datasets. Note: it is recommended that you run lngca twice with different seeds and compare the results, which should be similar when a sufficient number of restarts is used. In practice, stability with large datasets and a large number of components can be challenging. |

Value

Function outputs a list including the following:

Sjx variable loadings for joint NG components in dataset X with matrix $r_j \times p_x$.

Sjy variable loadings for joint NG components in dataset Y with matrix $r_j \times p_y$.

Six variable loadings for individual NG components in dataset X with matrix $riX \times p_x$.

Siy variable loadings for individual NG components in dataset Y with matrix $riX \times p_y$.

Mix scores of individual NG components in X with matrix $n \times riX$.

Miy scores of individual NG components in Y with matrix $n \times riY$.

est.Mjx Estimated subject scores for joint components in dataset X with matrix $n \times r_j$.

est.Mjy Estimated subject scores for joint components in dataset Y with matrix $n \times r_j$.

est.Mj Average of est.Mjx and est.Mjy as the subject scores for joint components in both datasets with matrix $n \times r_j$.

C_plus whether to use C version of curvilinear search.

rho_extent the weight of rho in search

df degree of freedom, = 0 when use JB, >0 when use tiltedgaussian.

Examples

```
#get simulation data
data(exampladata)

# use JB stat to compute with singR
output_JB=singR(dX=exampladata$dX,dY=exampladata$dY,
df=0,rho_extent="small",distribution="JB",individual=TRUE)

# use tiltedgaussian distribution to compute with singR.
```

```

# tiltedgaussian may be more accurate but is considerably slower,
# and is not recommended for large datasets.
output_tilted=singR(dX=exampledata$dX,dY=exampledata$dY,
df=5,rho_extent="small",distribution="tiltedgaussian",individual=TRUE)

# use pmse to measure difference from the truth
pmse(M1 = t(output_JB$est.Mj),M2 = t(exampledata$mj),standardize = TRUE)

pmse(M1 = t(output_tilted$est.Mj),M2 = t(exampledata$mj),standardize = TRUE)

```

standard

Standardization with double centered and column scaling

Description

Standardization with double centered and column scaling

Usage

```
standard(data, dif.tol = 0.001, max.iter = 10)
```

Arguments

| | |
|----------|--|
| data | input matrix with n x px. |
| dif.tol | the value for the threshold of scaling |
| max.iter | default value = 10 |

Value

standardized matrix with n x px.

Examples

```

spmwm = 3*matrix(rnorm(100000),nrow=100)+1
dim(spmwm)
apply(spmwm,1,mean) # we want these to be 0
apply(spmwm,2,mean) # we want these to be 0
apply(spmwm,2,sd) # we want each of these variances to be 1

spmwm_cp=standard(spmwm)
max(abs(apply(spmwm_cp,1,mean)))
max(abs(apply(spmwm_cp,2,mean)))
max(abs(apply(spmwm_cp,2,sd)-1))

```

| | |
|---------|--|
| theta2W | <i>Convert angle vector into orthodox matrix</i> |
|---------|--|

Description

Convert angle vector into orthodox matrix

Usage

```
theta2W(theta)
```

Arguments

| | |
|-------|------------------------|
| theta | vector of angles theta |
|-------|------------------------|

Value

an orthodox matrix

| | |
|----------------|-----------------------|
| tiltedgaussian | <i>tiltedgaussian</i> |
|----------------|-----------------------|

Description

tiltedgaussian

Usage

```
tiltedgaussian(xData, df = 8, B = 100, ...)
```

Arguments

| | |
|-------|-------------------|
| xData | input data |
| df | degree freedom |
| B | default value=100 |
| ... | ellipsis |

| | |
|---------|---|
| vec2net | <i>Create network matrices from vectorized lower diagonals vec2net transfer the matrix vectorized lower diagonals into net to show the component image.</i> |
|---------|---|

Description

Create network matrices from vectorized lower diagonals vec2net transfer the matrix vectorized lower diagonals into net to show the component image.

Usage

```
vec2net(invector, make.diag = 1)
```

Arguments

| | |
|-----------|-----------------------------|
| invector | vectorized lower diagonals. |
| make.diag | default value = 1. |

Value

a net matrix

Examples

```
net = vec2net(1:10)
```

| | |
|----------|---------------------------|
| whitener | <i>Whitening Function</i> |
|----------|---------------------------|

Description

Whitening Function

Usage

```
whitener(X, n.comp = ncol(X), center.row = FALSE)
```

Arguments

| | |
|------------|--------------------------------|
| X | dataset p x n. |
| n.comp | the number of components |
| center.row | whether center the row of data |

Value

a whitener matrix

%^^

Calculate the power of a square matrix

Description

returns a matrix composed of eigenvector x diag(eigenvalue ^ power) x eigenvector'

Usage

S %^^ power

Arguments

S a square matrix
power the times of power

Value

a matrix after power calculation that eigenvector x diag(eigenvalue ^ power) x eigenvector'

Examples

```
a <- matrix(1:9,3,3)
a %^^ 2
```

Index

* datasets

 exampledata, 8

 %^%, 22

angleMatchICA, 2

aveM, 3

calculateJB, 4

covwhitener, 4

create.graph.long, 5

curvilinear, 5

curvilinear_c, 6

est.M.ols, 8

exampledata, 8

gen.inits, 9

greedymatch, 9

Ingca, 10

matchICA, 13

NG_number, 13

orthogonalize, 14

permmatRank_joint, 14

permTestJointRank, 15

pmse, 15

signchange, 16

singR, 17

standard, 19

theta2W, 20

tiltedgaussian, 20

vec2net, 21

whitener, 21